ORIĢINAL

BOOK 5475

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES
OF THE

Under Special Instructions dated <u>October 21, 1993</u>, approved <u>October 21, 1993</u>, which provided for the surveys included under Group Number <u>762</u> and assignment instructions dated <u>October 22, 1993</u>.

Survey commenced October 26, 1993
Survey completed June 13, 1994

2 BOOK 5475 INDEX DIAGRAM

	TOWNSHIP _	4 SOUTH	, RANGE <u>2 WES</u>	ST	
6	5	4	3	2	1
7	8	9	10 5	3 11	12
18	17	16	, 15 ,	14	13
19	20	21	22	23	24
30	29	28 8	27	26	25
31	32	33	34	35	36

Metes-and-Bounds Survey of NMMWA pp. 9-89

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the north boundary and a portion of the subdivisional lines, and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 4 South, Range 2 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this dependent resurvey and survey is as follows: The north boundary was surveyed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff in 1915-16. The south boundary and subdivisional lines were surveyed by Louis D. Gilbert in 1970.

The survey was executed in accordance with the specifications as set forth in the <u>Manual of Surveying Instructions</u>, 1973, and the Special Instructions dated October 21, 1993, for Group No. 762, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Lietz Set 2B II total station.

The geographic position of the cor. of secs. 5, 6, 31, and 32, on the south boundary of the township, as determined from a tie made to U.S. Geological Survey triangulation station "ESTRELLA 1936", located in the southwest quarter of section 33, Township 4 South, Range 2 West, is as follows:

Latitude: 33°01'44.71" N. Longitude: 112°29'41.76" W. NAD 27

The mean magnetic declination as taken from quadrangle map COTTON CENTER SE, ARIZ., published in 1973 by U.S. Geological Survey, is $13\ 1/2^\circ$ E.

Dependent Resurvey of a Portion of the North Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Restoring the survey executed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff, in 1915-16
	Beginning at the cor. of secs. 1, 2, 35, and 36, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S35 S36 S2 S1 T4S 1916.
	Add the marks 1993 on the brass cap.
C	Cor. is located in a barbed wire fence, 4 strands, bears E. and W.
	N. 89°52' W., bet. secs. 2 and 35.
22.32	Point for A.P. 170 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	Thence along the North Maricopa Mountains Wilderness Area Bdy.
28.64	Point for A.P. 1, T. 3 S., R. 2 W., of the North Maricopa Mountains Wilderness Area Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W AP1 S35 NMMWA
	S2
	T4S 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located in a barbed wire fence, 4 strands, bears E. and W. and 220 lks. S. of a trail road, bears E. and W.
ř	Leave the North Maricopa Mountains Wilderness Area Bdy.
40.02	The 1/4 sec. cor. of secs. 2 and 35, monumented with an iron post, 1 in. diam, firmly set, projecting 4 ins. above ground, with brass cap mkd. S35 1/4 S2 1916.
	Add the marks T3S R2W T4S 1993 on the brass cap.
	Cor. is located in a barbed wire fence, 4 strand, bears E. and W.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
And the state of t	Restoring the survey executed by Louis D. Gilbert, in 1970
	From the cor. of secs. 10, 11, 14, and 15, monumented with an iron post, 3 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T4S R2W S10 S11 S15 S14 1970.
	Add the marks 1993 on the brass cap.
<u>.</u>	N. 0°02' W., bet. secs. 10 and 11.
34.77	Point for A.P. 147 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.00	The 1/4 sec. cor. of secs. 10 and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T4S R2W 1/4 S10 S11 1970.
	Add the marks 1993 on the brass cap.
	N. 0°02' W., beginning new measurement.
40.01	The cor. of secs. 2, 3, 10, and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W S3 S2 S10 S11 1970.
	Add the marks 1993 on the brass cap.
	From the 1/4 sec. cor. of secs. 2 and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W 1/4 S2 S11 1970.
	Add the marks 1993 on the brass cap.
	S. 89°56' W., bet. secs. 2 and 11.
17.67	Point for A.P. 155 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.98	The cor. of secs. 2, 3, 10, and 11.
	From the cor. of secs. 27, 28, 33, and 34, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. T4S R2W S28 S27 S33 S34 1970.
	Add the marks 1993 on the brass cap.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	N. 0°03' W., bet. secs. 27 and 28.
36.56	Point for A.P. 56 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.01	The 1/4 sec. cor. of secs. 27 and 28, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with a mound of stone to the W., 2 ft. base, 1 ft. high, with brass cap mkd. T4S R2W 1/4 S28 S27 1970.
	Add the marks 1993 on the brass cap.
	From the cor. of secs. 22, 23, 26, and 27, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W S22 S23 S27 S26 1970.
	From this cor. point, a rebar of unknown origin, 1/2 in. diam., firmly set, projecting 7 ins. above ground, unmarked, bears N. 64° E., 1 lk. dist.
	S. 89°59′ W., bet. secs. 22 and 27.
9.53	Point for A.P. 68 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.98	The 1/4 sec. cor. of secs. 22 and 27, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T4S R2W 1/4 S22 S27 1970.
	Add the marks 1993 on the brass cap.
	From the cor. of secs. 14, 15, 22, and 23, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T4S R2W S15 S14 S22 S23 1970.
	S. 89°59' W., bet. secs. 15 and 22.
10.91	Point for A.P. 77 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.99	The 1/4 sec. cor. of secs. 15 and 22, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with a mound of stone to the N., 3 ft. base, 1 ft. high, with brass cap mkd. T4S R2W 1/4 S15 S22 1970.
	Add the marks 1993 on the brass cap.
	S. 89°59' W., beginning new measurement.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

	1. 4 S., R. 2 W., Glia and Saft River Meridian, Arizona
CHAINS	
39.99	The cor. of secs. 15, 16, 21, and 22, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T4S R2W S16 S15 S21 S22 1970.
	Add the marks 1993 on the brass cap.
	N. 0°01' W., bet. secs. 15 and 16.
25.47	Point for a witness point at intersection with line 100-101 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 101 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 55°11' W., 1.19 chs. dist.
28.41	Point for a witness point at intersection with line 125-126 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 126 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 57°11' E., 2.86 chs. dist.
40.02	The 1/4 sec. cor. of secs. 15 and 16, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T4S R2W 1/4 S16 S15 1970.
	Add the marks 1993 on the brass cap.
	From the cor. of secs. 10, 11, 14, and 15, hereinbefore described.
	S. 89°59' W., bet. secs. 10 and 15.
19.00	Intersect line 87-88 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.
	From this cor. point, A.P. 87 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 8°29' W., 2.22 chs. dist.
23.98	Point for A.P. 89 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
27.43	Point for A.P. 139 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
29.72	Point for A.P. 137 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.99	The 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S10 S15 1970.
	Add the marks 1993 on the brass cap.
	From the 1/4 sec. cor. of secs. 32 and 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S32 S33 1970.
	Add the marks 1993 on the brass cap.
	N. 0°03' W., bet. secs. 32 and 33
40.05	The cor. of secs. 28, 29, 32, and 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W S29 S28 S32 S33 1970.
	Add the marks 1993 on the brass cap.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears ESE and WNW.
	From the cor. of secs. 27, 28, 33, and 34.
	S. 89°59′ W., bet. secs. 28 and 33.
39.92	The 1/4 sec. cor. of secs. 28 and 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S28 S33 1970.
	Add the marks 1993 on the brass cap.
	N. 89°59' W., beginning new measurement.
40.00	The cor. of secs. 28, 29, 32, and 33.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

From the cor. of secs. 5, 6, 31, and 32, on the S. bdy. of Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. T4S R2W S31 S32 S6 S5 T5S 1993 1970 as described in the field note record of the dependent resurvey of the north boundary of T. 5 S., R. 2 W., executed concurrently under this same group.

From this cor. point, U.S. Geological Survey triangulation station "ESTRELLA 1936", with published latitude of 33°O1'56.69132" N. and longitude of 112°28'33.58730" W., NAD27, bears N. 78°12'37" E., forward bearing, 89.85 chs. dist., monumented with a standard brass disk, 3 1/2 ins. diam., cemented flush with the top of a granite boulder, 8 X 6 X 3 ins. high, with top of disk mkd. ESTRELLA 1936 and a triangle.

N. 0°02' W., bet. secs. 31 and 32.

- 24.13 Point for A.P. 10 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
- The witness 1/4 sec. cor. of secs. 31 and 32, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S31 S32 WC 1970.

Add the marks 1993 on the brass cap.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 4 S. R. 2. W., Gila and Salt River Meridian, Arizona

In Sec. 31

From A.P. 1, identical with A.P. 14, T. 5 S., R. 2 W., on line bet. secs. 6 and 31, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. T4S R2W AP1 S31 NMMWA AP14 S6 T5S 1994 as described in the field note record of the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Bdy., T. 5 S., R. 2 W., executed concurrently under this same group.

Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS


From this cor. point, the witness 1/4 sec. cor. of secs. 6 and 31, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above ground, in a mound of stone, 2 ft. base, to top, with brass cap mkd. T4S R2W S31 WC 1/4 S6 T5S 1993 1970 and an arrow pointing to the cor. point as described in the field note record of the dependent resurvey of a portion of the north boundary of T. 5 S., R. 2 W., executed concurrently under this same group, bears N. 89°59′ W., 10.56 chs. dist.

N. $54^{\circ}56'$ E. on line 1-2 of the North Maricopa Mountains Wilderness Area Bdy.

NW of the Butterfield Stage Route road.

5.15 Point for A.P. 2.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 85 lks. N. of the Butterfield Stage Route road, bears NE and SW.

N. 52°51' E. on line 2-3 of the North Maricopa Mountains Wilderness Area Bdy.

NW of the Butterfield Stage Route road.

4.55 | Point for A.P. 3.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

11 BOOK 5475 Metes-and-Bounds Survey of the icopa Mountains Wilderness Area Boundary

	North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 4°52' E. on line 3-4 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of the Butterfield Stage Route road.
2.13	Point for A.P. 4.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP4 S31 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW, and 150 lks. W. of Fortymile Desert Tank.
	N. 68°01' E. on line 4-5 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
2.98	Point for A.P. 5.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP5 S31 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears NE and SW.

B00K¹²5475

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary,

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona CHAINS N. 48°06' E. on line 5-6 of the North Maricopa Mountains Wilderness Area Bdy. NW of the Butterfield Stage Route road. 9.05 Point for A.P. 6. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T4S R2W NMMWA S31 Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath the stainless steel post. Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW. N. 57°56' E. on line 6-7 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 7.62 Point for A.P. 7. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T4S R2W AWMMA S31 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW. N. 30°09' E. on line 7-8 of the North Maricopa Mountains Wilderness Area Bdy. WNW of the Butterfield Stage Route road.

r	1. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
2.39	Point for A.P. 8.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP8 S31 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears NE and SSW, in curve.
	N. 53°50' E. on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
3.23	Point for A.P. 9.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP9 S31 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve, and 85 lks. S. of a wash, 110 lks. wide, 3 ft. deep, drains W.
	N. 73°O4' E. on line 9-10 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
3.81	Point for A.P. 10, on line bet. secs. 31 and 32.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS T4S R2W NMMWA AP10 S32 S31 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 40 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve, and 150 lks. S. of a wash, 110 lks. wide, 2 ft. deep, drains WSW. In Sec. 32 N. 66°12' E. on line 10-11 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. Point for A.P. 11. 2.36 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T4S R2W NMMWA AP11 S32 1994 Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears ENE and WSW. N. 70°18' E. on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 3.41 Point for A.P. 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS .	
·	T4S R2W NMMWA AP12
	\$32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 190 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 44°20' E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a wash.
3.50	Point for A.P. 13.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA/ AP13 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a wash, 90 lks. wide, 2 ft. deep, drains SW.
	N. 29°47' E. on line 13-14 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a wash.
5.44	Point for A.P. 14.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS

T4S R2W NMMWA AP14 S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a wash, 50 lks. wide, 2 ft. deep, drains S.

N. 8°27' W. on line 14-15 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a wash.

3.52 Point for A.P. 15.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP15 S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 25 lks. W. of a wash, 40 lks. wide, 1 ft. deep, drains S.

N. $3^{\circ}25'$ E. on line 15-16 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a wash.

4.69 Point for A.P. 16.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.

CHAINS

T4S R2W NMMWA AP16 S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a wash, 50 lks. wide, 1 ft. deep, drains S.

N. 14°32' E. on line 16-17 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a wash.

5.21 | Point for A.P. 17.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.

T4S R2W NMMWA AP17 S32 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 100 lks. W. of a wash, 30 lks. wide, 1 ft. deep, drains SSW.

N. 39°00' E. on line 17-18 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a wash.

3.16 | Point for A.P. 18.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS

T4S R2W NMMWA AP18 S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 60 lks. W. of a wash, 45 lks. wide, 3 ft. deep, drains SSW.

N. 37°25' E. on line 18-19 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a wash.

2.32 | Point for A.P. 19.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP19 S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 60 lks. N. of a wash, 70 lks. wide, 2 ft. deep, drains SSW.

N. $64^{\circ}39'$ E. on line 19-20 of the North Maricopa Mountains Wilderness Area Bdy.

NNW of a wash.

11.42 | Point for A.P. 20.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP20 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. N. of a wash, 70 lks. wide, 1 ft. deep, drains SW.
	N. 48°43' E. on line 20-21 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a wash.
4.07	Point for A.P. 21.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP21 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 125 lks. W. of a wash, 55 lks. wide, 2 ft. deep, drains WSW.
	N. 41°53' E. on line 21-22 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a wash.
2.68	Point for A.P. 22.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP22 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. N. of a wash, 100 lks. wide, 2 ft. deep, drains SW.
	N. 65°44' E. on line 22-23 of the North Maricopa Mountains Wilderness Area Bdy.
;	NNW of a wash.
10.97	Point for A.P. 23.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP23 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. N. of a wash, 30 lks. wide, 2 ft. deep, drains WSW.
	N. 80°37' E. on line 23-24 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a wash.
5.01	Point for A.P. 24.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
1	ŗ .

CHAINS T4S R2W NMMWA AP24 S32 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 110 lks. N. of a wash, 25 lks. wide, 2 ft. deep, drains WSW. N. 78°49' E. on line 24-25 of the North Maricopa Mountains Wilderness Area Bdy. NNW of a wash. 4.94 Point for A.P. 25. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd. T4S R2W **NMMWA** AP25 S32 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 85 lks. N. of a wash, 25 lks. wide, 2 ft. deep, drains W. S. 40°34' E. on line 25-26 of the North Maricopa Mountains Wilderness Area Bdy. 2.22 Point for A.P. 26. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS	The state of the s
	T4S R2W NMMWA AP26
	\$32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
	N. 78°45' E. on line 26-27 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
2.62	Point for A.P. 27.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP27 S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears NE and W., in curve.
	N. 48°O4' E. on line 27-28 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
3.09	Point for A.P. 28.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA /
	AP28
	\$32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 54°55' E. on line 28-29 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
6.77	Point for A.P. 29.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA
	AP29 \$32
Ga. Casar	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 77 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 72°23' E. on line 29-30 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
4.35	Point for A.P. 30.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS

T4S R2W NMMWA AP30 S32 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.

N. 73°43' E. on line 30-31 of the North Maricopa Mountains Wilderness Area Bdy.

NNW of the Butterfield Stage Route road.

6.21 | Point for A.P. 31.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 50 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.

N. 36°03' E. on line 31-32 of the North Maricopa Mountains Wilderness Area Bdy.

NW of the Butterfield Stage Route road.

1.41 | Point for A.P. 32.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS **T4S R2W** NMMWA AP32 S32 1994 Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. N. of the Butterfield Stage Route road, bears NNE and SSW. N. 66°51' E. on line 32-33 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 2.60 Point for A.P. 33. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T4S R2W NMMWA S32 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and WSW, in curve. N. 28°53' E. on line 33-34 of the North Maricopa Mountains Wilderness Area Bdy. WNW of the Butterfield Stage Route road. 3.53 Point for A.P. 34. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP34 S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears ENE and SSW, in curve.
	N. 87°15' E. on line 34-35 of the North Maricopa Mountains Wilderness Area Bdy.
!	N. of the Butterfield Stage Route road.
3.09	Point for A.P. 35, identical with the cor. of secs. 28, 29, 32, and 33, hereinbefore described.
	In Sec. 28
	N. 70°55' E. on line 35-36 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
5.15	Point for A.P. 36.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP36 S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve.
	N. 64°46' E. on line 36-37 of the North Maricopa Mountains Wilderness Area Bdy.

	1. 4 5., K. 2 W., Gila and Sale River Her totall, Ar 1201a
CHAINS	
	NNW of the Butterfield Stage Route road.
4.61	Point for A.P. 37.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP37 S28 1994
	Deposit a magnet in a $1 \times 1 \times 2$ ins. White plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 48°47' E. on line 37-38 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
2.75	Point for A.P. 38.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP38 S28
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
Valley or the state of the stat	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve.
	N. 63°57' E. on line 38-39 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
5.93	Point for A.P. 39.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T4S R2W NMMWA AP39 S28 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road bears NE and WSW, in curve. N. 50°10′ E. on line 39-40 of the North Maricopa Mountains	
24 ins. in the ground, with brass cap mkd. T4S R2W NMMWA AP39 S28 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road bears NE and WSW, in curve. N. 50°10' E. on line 39-40 of the North Maricopa Mountains	
NMMWA AP39 S28 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road bears NE and WSW, in curve. N. 50°10' E. on line 39-40 of the North Maricopa Mountains	
Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road bears NE and WSW, in curve. N. 50°10′ E. on line 39-40 of the North Maricopa Mountains	
Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road bears NE and WSW, in curve. N. 50°10′ E. on line 39-40 of the North Maricopa Mountains	
Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road bears NE and WSW, in curve. N. 50°10' E. on line 39-40 of the North Maricopa Mountains	
the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road bears NE and WSW, in curve. N. 50°10' E. on line 39-40 of the North Maricopa Mountains	
bears NE and WSW, in curve. N. 50°10' E. on line 39-40 of the North Maricopa Mountains	b
Wilderness Area Bdy.	
NW of the Butterfield Stage Route road.	
5.54 Point for A.P. 40.	
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.	
T4S R2W NMMWA AP4O	
\$28 1994	
Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneat the stainless steel post.	h
Cor. is located 55 lks. N. of the Butterfield Stage Route road bears E. and WSW, in curve.	,
S. 70°50' E. on line 40-41 of the North Maricopa Mountains Wilderness Area Bdy.	
NNE of the Butterfield Stage Route road.	
2.72 Point for A.P. 41.	
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.	

CHAINS	
	T4S R2W NMMWA AP41
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WNW, in curve.
	N. 53°08' E. on line 41-42 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
2.03	Point for A.P. 42.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP42
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve, and 25 lks. N. of a wash, 30 lks. wide, 1 ft. deep, drains W.
	S. 77°40' E. on line 42-43 of the North Maricopa Mountains Wilderness Area Bdy.
	NNE of the Butterfield Stage Route road.
1.34	Point for A.P. 43.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	1. 4 5., N. 2 W., Gilla and Sait River Her Idian, Ai 1201a
	T4S R2W NMMWA
·	AP43
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ESE and W., in curve.
	N. 60°44' E. on line 43-44 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
1.95	Point for A.P. 44.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP44
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve.
	N. 82°29' E. on line 44-45 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
2.65	Point for A.P. 45.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

	1. 4 5., R. Z W., Gila and Sait River Meritain, Arizona
CHAINS	
	T4S R2W NMMWA AP45
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
	N. 81°52' E. on line 45-46 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
3.35	Point for A.P. 46.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP46
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
:	N. 62°55' E. on line 46-47 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
4.68	Point for A.P. 47.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.

CHAINS **T4S R2W** NMMWA AP47 S28 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 70 lks. N. of the Butterfield Stage Route road, bears NE and WSW. in curve. N. 48°08' E. on line 47-48 of the North Maricopa Mountains Wilderness Area Bdy. NW of the Butterfield Stage Route road. 5.10 Point for A.P. 48. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd. T4S R2W **NMMWA** AP48 S28 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears ENE and WSW. N. 61°34' E. on line 48-49 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 4.72 Point for A.P. 49. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.

CHAINS **T4S R2W** NMIWA AP49 S28 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears NE and SW. N. 43°55' E. on line 49-50 of the North Maricopa Mountains Wilderness Area Bdy. NW of the Butterfield Stage Route road. 5.72 Point for A.P. 50. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 11 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd. **T4S R2W AWMMA** AP50 S28 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears E. and SW, in curve. N. 61°15' E. on line 50-51 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 6.17 Point for A.P. 51. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP51 S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 36°16' E. on line 51-52 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
4.29	Point for A.P. 52.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP52
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 61°01' E. on line 52-53 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
3.08	Point for A.P. 53.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

	1. 4 O., R. E H., Gitta and Gate River for talling 70 12010
CHAINS	
1	T4S R2W
	NMMWA
	AP53
	\$28
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and WSW.
	S. 88°40' E. on line 53-54 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
2.98	Point for A.P. 54.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP54
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and W.
	N. 76°27' E. on line 54-55 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
8.54	Point for A.P. 55.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP55
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
	N. 80°07' E. on line 55-56 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
8.17	Point for A.P. 56, on line bet. secs. 27 and 28.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP56
	\$28 \$27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. red plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears E. and W., and 35 lks. N. of a wash, 9 lks. wide, 2 ft. deep, drains NW.
	In Sec. 27
	N. 88°36' E. on line 56-57 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
8.42	Point for A.P. 57.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.

	i. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP57
	\$27
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 79°12' E. on line 57-58 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
7.35	Point for A.P. 58.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP58
	\$27
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 53°31' E. on line 58-59 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
6.50	Point for A.P. 59.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

· · · · · · · · · · · · · · · · · · ·	
CHAINS	
	T4S R2W
	NMMWA
	AP59
	S27
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 70°29' E. on line 59-60 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
8.53	Point for A.P. 60.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA
	AP60
	\$27 19 94
	1534
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 62°12' E. on line 60-61 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
15.65	Point for A.P. 61.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

	1. 4 S., R. 2 W., Gild and Sait River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP61
	\$27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW, and 60 lks. S. of a wash, 15 lks. wide, 2 ft. deep, drains NE.
A Common	N. 68°47' E. on line 61-62 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
10.00	Point for A.P. 62.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP62 S27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 73°37' E. on line 62-63 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
9.13	Point for A.P. 63.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP63 S27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW, and 105 lks. S. of a wash, 25 lks. wide, 2 ft. deep, drains E.
	N. 82°35' E. on line 63-64 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
6.66	Point for A.P. 64.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP64
	\$27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 69°43' E. on line 64-65 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
5.86	Point for A.P. 65.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP65
	S27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
The state of the s	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW, and 45 lks. W. of a trail road, bears N. and S.
	N. 1°18' W. on line 65-66 of the North Maricopa Mountains Wilderness Area Bdy., leave the Butterfield Stage Route road.
	W. of a trail road.
6.76	Point for A.P. 66.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP66 S27
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.
	N. 13°16' W. on line 66-67 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
10.54	Point for A.P. 67.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

	1. 4 5., K. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA (AP67 (S27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 2°05' E. on line 67-68 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
1.74	Point for A.P. 68, on line bet. secs. 22 and 27.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W AP68 S22 NMMWA S27 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. red plastic case beneath the stainless steel post.
	Cor. is located 40 lks. W. of a trail road, bears NNW and S., in curve.
	In Sec. 22
	N. O°25' W. on line 68-69 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
11.42	Point for A.P. 69.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
1	

	1. 4 3., K. 2 w., Gila and Sait Kivel Mel latait, Al 1201a
CHAINS	
	T4S R2W NMMWA AP69 S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 0°23' E. on line 69-70 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
12.57	Point for A.P. 70.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA / AP70 S22
5	1994'
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears N. and S.
	N. 6°44' E. on line 70-71 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
6.65	Point for A.P. 71.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP71 S22 1994

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 7°30' W. on line 71-72 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.79	Point for A.P. 72.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP72 S22
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. W. of a trail road, bears NNE and S., in curve.
	N. 1°23' E. on line 72-73 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
10.37	Point for A.P. 73.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP73 S22
	1994
	Deposit a magnet in a $1 \times 1 \times 2$ ins. White plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	The state of the s

	1. 4 5., R. 2 W., Glia and Salt River Meridian, Arizona
CHAINS	
	N. 4°24' W. on line 73-74 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.35	Point for A.P. 74.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP74 S22
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and SSE, in curve.
	N. 3°51' E. on line 74-75 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
6.72	Point for A.P. 75.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMMA \
	AP75 S22
	1994
 	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 11°28' W. on line 75-76 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
10.43	Point for A.P. 76.

	North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP76 S22
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and S., in curve.
	N. 10°35' E. on line 76-77 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
5.22	Point for A.P. 77, on line bet. secs. 15 and 22.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W AP77\ S15 NMMWA
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 130 lks. W. of a trail road, bears N. and SSW, in curve.
	In Sec. 15
	N. 30°03' W. on line 77-78 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
2.58	Point for A.P. 78.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

		T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
	CHAINS	
		T4S R2W NMMWA AP78 S15 1994
		Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
		Cor. is located 50 lks. W. of a trail road, bears N. and S.
, Landania de la compania del compania del compania de la compania del la compania de la compania dela compania del la compani		N. 14°44' W. on line 78-79 of the North Maricopa Mountains Wilderness Area Bdy.
ļ		WSW of a trail road.
	12.83	Point for A.P. 79.
		Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
		T4S R2W NMMWA AP79 S15 1994
		Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
		Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.
		N. 10°03' W. on line 79-80 of the North Maricopa Mountains Wilderness Area Bdy.
		W. of a trail road.
	8.93	Point for A.P. 80.
		Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
		T4S R2W NMMWA AP80 S15 1994

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 5°48' W. on line 80-81 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
12.49	Point for A.P. 81.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP81 S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
5.5	N. O°54' E. on line 81-82 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
7.59	Point for A.P. 82.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP82 S15
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	,

	1. 4 3., K. Z w., Gira and Sait Kiver Her Idian, A 1201a
CHAINS	
	N. 10°22' E. on line 82-83 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.60	Point for A.P. 83.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP83 S15
	1004
	Deposit a magnet in a 1 $ imes$ 1 $ imes$ 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 6°35' W. on line 83-84 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
10.13	Point for A.P. 84.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP84 S15
	1994
i.	Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears N. and S.
	N. 5°26' E. on line 84-85 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
5.48	Point for A.P. 85.

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP85 S15

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a trail road, bears N. and S.

N. 19°03' W. on line 85-86 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

7.47 | Point for A.P. 86.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP86 S15

Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NE and SW.

N. 5°45' E. on line 86-87 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

3.34 | Point for A.P. 87.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

BOOK 54 75

CHAINS	
	T4S R2W NMMWA AP87 S15
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. W. of a trail road, bears ENE and WSW.
Account of the control of the contro	N. 8°29' E. on line 87-88 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
2.22	Intersect the line bet. secs. 10 and 15. Not monumented.
	From this point, the cor. of secs. 10, 11, 14, and 15, bears N. 89°59' E., 19.00 chs. dist., hereinbefore described
	In Sec. 10
	Continue on line 87-88.
7.32	Point for A.P. 88.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W
	AP88 / S10
	NMMWA' 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located inside the sharp bend of a trail road, bears SE and WSW, in curve.
	S. 48°40′ W. on line 88-89 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
7.64	Point for A.P. 89, on line bet. secs. 10 and 15.

	1. 4 3., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W
	S10 ANAMANA
	NMMWA S15 AP89
İ	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	In Sec. 15
	S. 51°28' W. on line 89-90 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
4.00	Point for A.P. 90.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W S15
	AP90
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 110 lks. E. of a trail road, bears NE and SW.
	S. 38°46' W. on line 90-91 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
3.58	Point for A.P. 91.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

BOOK 54 75

CHAINS	
	T4S R2W S15 AP91 NMMWA 1994
	T 2 2 4
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. S. of a trail road, bears NNE and SW, in curve.
	S. 56°29' W. on line 91-92 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
4.08	Point for A.P. 92.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W S15 AP92 NMMWA 1994
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears NE and SW.
	S. 29°45' W. on line 92-93 of the North Maricopa Mountains Wilderness Area Bdy.
	ESE of a trail road.
4.28	Point for A.P. 93.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S15 AP93 NMMWA
	1994

	North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears NNE and SW, in curve.
	S. 46°39' W. on line 93-94 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
10.04	Point for A.P. 94.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S15 AP94 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 7°20' W. on line 94-95 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
6.36	Point for A.P. 95.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W S15 AP95 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. E. of a trail road, bears NE and SW.

BOOK 554 75

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	S. 61°55' W. on line 95-96 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
9.99	Point for A.P. 96.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W S15 AP96 NMMWA 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case and broken, clear glass bottle beneath the stainless steel post.
	S. 44°15' W. on line 96-97 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
6.55	Point for A.P. 97.
divining to the state of the st	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W
	\$15
	AP97 NMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears NE and SW.
	S. 33°52' W. on line 97-98 of the North Maricopa Mountains Wilderness Area Bdy.
	ESE of a trail road.
6.30	Point for A.P. 98.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W S15 AP98 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 110 lks. S. of a trail road, bears NNE and SW, in curve.
	S. 58°28' W. on line 98-99 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
8.81	Point for A.P. 99.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S15
	AP99 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. E. of a trail road, bears N. and S.
	S. 44°24' W. on line 99-100 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
9.39	Point for A.P. 100.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

	1. 4 S., R. Z W., Gilla and Salt River Her Rufall, Al (2011a
CHAINS	
	T4S R2W S15 AP100 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 140 lks. S. of a trail road, bears NE and SW.
	S. 55°11' W. on line 100-101 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
7.28	Point for a witness point at intersection with line bet. secs. 15 and 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W S16 S15 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 130 lks. S. of a trail road, bears ENE and WSW.
	From this cor. point, the cor. of secs. 15, 16, 21, and 22, bears S. 0°01' E., 25.47 chs. dist., hereinbefore described
	In Sec. 16
	Continue on line 100-101.
8.47	Point for A.P. 101.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

1	
CHAINS	
	T4S R2W
	S16 AB101
·	AP101 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
!	Cor. is located 130 lks. S. of a trail road, bears NE and SW.
	S. 86°38' W. on line 101-102 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
4.33	Point for A.P. 102.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	S16
	AP102
	NMMWA
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears ENE and WSW.
	N. 48°15' W. on line 102-103 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
3.75	Point for A.P. 103.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	S16
	AP103
	AWMMA
	1994

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	·
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. E. of a trail road, bears ESE and W., in curve.
	S. 82°11' W. on line 103-104 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
14.43	Point for A.P. 104.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	48104
	AP104 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ENE and W., in curve.
	S. 86°33' W. on line 104-105 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
9.00	Point for A.P. 105.
- -	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP105
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
I	

·	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	Cor. is located 70 lks. S. of a trail road, bears E. and W.
	N. 78°04' W. on Tine 105-106 of the North Maricopa Mountains
	Wilderness Area Bdy.
	SSW of a trail road.
6.34	Point for A.P. 106.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP106
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. S. of a trail road, bears SE and NW.
	S. 48°28' W. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy.
3.28	Point for A.P. 107.
3.20	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
	24 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP107
	NMMWA
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	N. 54°06' W. on line 107-108 of the North Maricopa Mountains Wilderness Area Bdy.
3.94	Point for A.P. 108.

61

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 4 S. R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

N. $15^{\circ}46'$ E. on line 108-109 of the North Maricopa Mountains Wilderness Area Bdy.

1.74 Point for A.P. 109.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T4S R2W S16 AP109 NMMWA 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 2 lks. W. a steel cable fence, 1 strand, bears NNE and SSW, and 85 lks. S. of a trail road, bears SE and W., in curve.

N. 86°06' W. on line 109-110 of the North Maricopa Mountains Wilderness Area Bdy.

3.77 | Point for A.P. 110.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T4S R2W S16 AP110 NMMWA 1994

,	12 7 0.; It. E w.; Girla and Sare River mer totall; At 1200a
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears ENE and WSW.
	N. 72°03' W. on line 110-111 of the North Maricopa Mountains Wilderness Area Bdy.
4.86	Point for A.P. 111.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP111 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ESE and WNW.
	S. 87°18' W. on line 111-112 of the North Maricopa Mountains Wilderness Area Bdy.
2.99	Point for A.P. 112.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP112 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears E. and WNW, in curve.
	N. 63°38' W. on line 112-113 of the North Maricopa Mountains Wilderness Area Bdy.

BOOK 5475

	1. 4 S., R. 2 W., Gild and Salt River Meridian, Arizona
CHAINS	
2.45	Point for A.P. 113.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.
	T4S R2W S16 AP113 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ESE and WNW.
	N. 26°44' E. on line 113-114 of the North Maricopa Mountains Wilderness Area Bdy.
1.52	Point for A.P. 114.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP114 /S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears ESE and WNW.
	S. 62°49' E. on line 114-115 of the North Maricopa Mountains Wilderness Area Bdy.
2.14	Point for A.P. 115.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
i e e e e e e e e e e e e e e e e e e e	

	1. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP115
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. N. of a trail road, bears E. and WNW, in curve.
	N. 86°47' E. on line 115-116 of the North Maricopa Mountains Wilderness Area Bdy.
2.70	Point for A.P. 116.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP116
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears ESE and WNW.
	S. 72°15' E. on line 116-117 of the North Maricopa Mountains Wilderness Area Bdy.
5.03	Point for A.P. 117.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP117
	S16 1994

	1. 4 S., R. 2 W., Glia and Sait River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears ENE and WSW.
	S. 86°33' E. on line 117-118 of the North Maricopa Mountains Wilderness Area Bdy.
3.91	Point for A.P. 118.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP118 S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears SE and W., in curve.
	N. 15°48' E. on line 118-119 of the North Maricopa Mountains Wilderness Area Bdy.
2.88	Point for A.P. 119.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
and the state of t	T4S R2W NMMWA AP119
	/S16 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	S. 59°32' E. on line 119-120 of the North Maricopa Mountains Wilderness Area Bdy.
6.11	Point for A.P. 120.

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP120
	\$16 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	S. 87°38' E. on line 120-121 of the North Maricopa Mountains Wilderness Area Bdy.
8.71	Point for A.P. 121.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP121
	S16 1994
	Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post.
	S. 8°15' E. on line 121-122 of the North Maricopa Mountains Wilderness Area Bdy.
1.74	Point for A.P. 122.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W \[\begin{align*} NMMWA \\ AP122 \\ S16 \\ 1004
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

POOK 67 54 75

CITAINO	!
CHAINS	
	Cor. is located 75 lks. N. of a trail road, bears ENE and W., in curve.
	N. 81°44' E. on line 122-123 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
12.85	Point for A.P. 123.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP123
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. N. of a trail road, bears E. and W.
	N. 89°46' E. on line 123-124 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
7.30	Point for A.P. 124.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
ļ	T4S R2W NMMWA AP124
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears SSE and W., in curve.

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	S. 47°33' E. on line 124-125 of the North Maricopa Mountains Wilderness Area Bdy.
	NE of a trail road.
4.23	Point for A.P. 125.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP125 S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears E. and WNW, in curve.
	N. 57°11' E. on line 125-126 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
4.97	Point for a witness point at intersection with line bet. secs. 15 and 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	WP T4S R2W NMMWA
	S16 S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 160 lks. N. of a trail road, bears ENE and WSW.
	From this cor. point, the 1/4 sec. cor. of secs. 15 and 16 bears N. 0°01' W., 11.61 chs. dist., hereinbefore described

ROOK 5475

CHAINS	T
	In Sec. 15
	Continue on line 125-126.
7.83	Point for A.P. 126.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMVA AP126
	\$15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a trail road, bears NE and WSW, in curve.
	N. 47°25' E. on line 126-127 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
12.37	Point for A.P. 127.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP127
	S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears ENE and WSW.
	N. 63°37' E. on line 127-128 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.

CHAINS	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
8.54	Point for A.P. 128.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP128
	S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears ENE and WSW.
	N. 27°12' E. on line 128-129 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
6.34	Point for A.P. 129.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP129
	\$15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 160 lks. W. of a trail road, bears NE and SW.
	N. 45°58' E. on line 129-130 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
5.90	Point for A.P. 130.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.


	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP130
	S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 135 lks. N. of a trail road, bears NE and SW.
	N. 64°24' E. on line 130-131 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
10.33	Point for A.P. 131.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP131
	S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears N. and SSW.
	N. 6°46' E. on line 131-132 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
6.20	Point for A.P. 132.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
1	

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP132 S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears NE and S., in curve.
	N. 31°02' E. on line 132-133 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
2.51	Point for A.P. 133.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP133 S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a trail road, bears NE and SW.
	N. 47°50' E. on line 133-134 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
7.41	Point for A.P. 134.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP134 S15

CHAINS						
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.					
	Cor. is located 85 lks. N. of a trail road, bears NE and SW.					
	N. 43°55' E. on line 134-135 of the North Maricopa Mountains Wilderness Area Bdy.					
	NW of a trail road.					
7.94	Point for A.P. 135.					
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.					
	T4S R2W					
NMMWA						
	AP135 S15					
	1994					
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.					
	Cor. is located 95 lks. N. of a trail road, bears ENE and WSW.					
TO THE POLICE OF	N. 36°54' W. on line 135-136 of the North Maricopa Mountains Wilderness Area Bdy.					
2.80	Point for A.P. 136.					
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.					
	T4S R2W NMMWA AP136 S15 1994					
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.					
	N. 53°09' E. on line 136-137 of the North Maricopa Mountains Wilderness Area Bdy.					
4.09	Point for A.P. 137, on line bet. secs. 10 and 15.					

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

S. 36°52' E. on line 137-138 of the North Maricopa Mountains Wilderness Area Bdy.

2.05 | Point for A.P. 138.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.




Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

N. 33°00' E. on line 138-139 of the North Maricopa Mountains Wilderness Area Bdy.

1.95 | Point for A.P. 139, on line bet. secs. 10 and 15.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

BOOK 54 75

CHAINS					
	Cor. is located 115 lks. W. of a trail road, bears ENE and SW, in curve.				
	In Sec. 10				
	N. 60°35' E. on line 139-140 of the North Maricopa Mountains Wilderness Area Bdy.				
5.94	Point for A.P. 140.				
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.				
	T4S R2W NMMWA AP140 S10				
	1994				
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.				
	Cor. is located 85 lks. W. of a trail road, bears NE and SW.				
	N. 40°16' E. on line 140-141 of the North Maricopa Mountains Wilderness Area Bdy.				
	NW of a trail road.				
2.93	Point for A.P. 141.				
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.				
	T4S R2W NMMWA AP141 S10				
	1994				
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.				
	Cor. is located 50 lks. W. of a trail road, bears N. and S.				
	N. 23°43' E. on line 141-142 of the North Maricopa Mountains Wilderness Area Bdy.				

BOOK 54 75

7	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona				
CHAINS					
	WNW of a trail road.				
4.46	Point for A.P. 142.				
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.				
i	T4S R2W				
	AP142/ NMMWA /S10				
	1994				
	Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath the stainless steel post.				
	Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.				
	N. 43°54' E. on line 142-143 of the North Maricopa Mountains Wilderness Area Bdy.				
	NW of a trail road.				
5.09	Point for A.P. 143.				
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.				
	T4S R2W				
	NMMWA AP143 S10				
	1994				
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.				
	Cor. is located 55 lks. W. of a trail road, bears N. and SSW, in curve.				
	N. 6°O3' W. on line 143-144 of the North Maricopa Mountains Wilderness Area Bdy.				
	W. of a trail road.				
3.25	Point for A.P. 144.				

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona			
CHAINS				
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			
	T4S R2W			
	NMMWA AP144 S10			
	1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.			
	N. 22°13' E. on line 144-145 of the North Maricopa Mountains Wilderness Area Bdy.			
:	WNW of a trail road.			
7.53	Point for A.P. 145.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.			
	T4S R2W			
	NMMWA AP145 S10			
	1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 55 lks. W. of a trail road, bears NNE and SSW.			
	N. 18°19' E. on line 145-146 of the North Maricopa Mountains Wilderness Area Bdy.			
	WNW of a trail road.			
6.64	Point for A.P. 146.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			

,	1. 4 S., R. 2 W., Gita and Sait River Meridian, Arizona	
CHAINS		
	T4S R2W NMMWA AP146 S10 1994	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.	
	Cor. is located 70 lks. W. of a trail road, bears ENE and SSW, in curve.	
	N. 62°42' E. on line 146-147 of the North Maricopa Mountains Wilderness Area Bdy.	
}	NNW of a trail road.	
11.74	Point for A.P. 147, on line bet. secs. 10 and 11.	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.	
	T4S R2W NMMWA AP147 S10 S11 1994	
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.	
	Cor. is located 70 lks. W. of a trail road, bears NE and SW.	
	In Sec. 11	
	N. 51°19' E. on line 147-148 of the North Maricopa Mountains Wilderness Area Bdy.	
5.09	NW of a trail road.	
	Point for A.P. 148.	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.	

	1. 4 5., R. 2 W., Gila and Sait River Periutan, Ar (2011)
CHAINS	
	T4S R2W NMMWA AP148 S11
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NNE and SW, in curve.
	N. 29°02' E. on line 148-149 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
5.35	Point for A.P. 149.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP149 S11
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. W. of a trail road, bears NE and SW.
	N. 47°55' E. on line 149-150 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
4.30	Point for A.P. 150.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP150 S11
	1994

CHAINS			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 55 lks. W. of a trail road, bears NNE and SSW.		
	N. 27°21' E. on line 150-151 of the North Maricopa Mountains Wilderness Area Bdy.		
	WNW of a trail road.		
4.32	Point for A.P. 151.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP151 S11		
	AP151 S11		
	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.		
	Cor. is located 55 lks. W. of a trail road, bears NE and SW.		
	N. 44°11' E. on line 151-152 of the North Maricopa Mountains Wilderness Area Bdy.		
	NW of a trail road.		
6.36	Point for A.P. 152.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP152 S11		
	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 55 lks. W. of a trail road, bears N. and SW, in curve.		
i			

CHAINS				
	N. 7°12' E. on line 152-153 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
8.11	Point for A.P. 153.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA/ AP153 S11 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 55 lks. W. of a trail road, bears N. and S.			
	N. 15°15' E. on line 153-154 of the North Maricopa Mountains Wilderness Area Bdy.			
	WNW of a trail road.			
8.15	Point for A.P. 154.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP154 S11			
	1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 55 lks. W. of a trail road, bears NE and SSW, in curve.			
	N. 16°03' E. on line 154-155 of the North Maricopa Mountains Wilderness Area Bdy.			
	WNW of a trail road.			
10.63	Point for A.P. 155, on line bet. secs. 2 and 11.			
<u></u>	I was a second of the second o			

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a trail road, bears N. and S.

In Sec. 2

N. 7°35' E. on line 155-156 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

1.08 | Point for A.P. 156.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of a trail road, bears N. and S.

N. 19°35' E. on line 156-157 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

8.59 | Point for A.P. 157.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona					
CHAINS						
	T4S R2W NMMWA AP157 S2					
	1994					
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.					
	Cor. is located 55 lks. W. of a trail road, bears NE and SW.					
	N. 41°29' E. on line 157-158 of the North Maricopa Mountains Wilderness Area Bdy.					
	NW of a trail road.					
2.68	Point for A.P. 158.					
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.					
	T4S R2W NMMWA AP158 S2					
	1994					
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.					
	Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.					
	N. 1°52' W. on line 158-159 of the North Maricopa Mountains Wilderness Area Bdy.					
	W. of a trail road.					
2.31	Point for A.P. 159.					
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.					
	T4S R2W NMMWA AP159 S2					
	1994					

· · · · · · · · · · · · · · · · · · ·	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona		
CHAINS			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.		
	N. 32°07' E. on line 159-160 of the North Maricopa Mountains Wilderness Area Bdy.		
	WNW of a trail road.		
5.14	Point for A.P. 160.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP160 S2		
!	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 65 lks. N. of a trail road, bears NE and SW.		
	N. 58°04' E. on line 160-161 of the North Maricopa Mountains Wilderness Area Bdy.		
	NNW of a trail road.		
2.17	Point for A.P. 161.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP161 S2		
	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 55 lks. W. of a trail road, bears N. and SSW, in curve.		

	1. 4 5., R. Z W., Gila and Salt River Meridian, Arizona		
CHAINS			
	N. 7°59' E. on line 161-162 of the North Maricopa Mountains Wilderness Area Bdy.		
	W. of a trail road.		
13.10	Point for A.P. 162.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP162 S2		
	1994		
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 55 lks. W. of a trail road, bears NNE and S., in curve.		
	N. 9°22' E. on line 162-163 of the North Maricopa Mountains Wilderness Area Bdy.		
	W. of a trail road.		
9.90	Point for A.P. 163.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP163 S2		
	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 55 lks. W. of a trail road, bears NNE and SSW.		
	N. 26°20' E. on line 163-164 of the North Maricopa Mountains Wilderness Area Bdy.		
	WNW of a trail road.		
10.76	Point for A.P. 164.		

CH.	ΔI	N	ζ
CII.		ľ	2

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.

N. 10°01' E. on line 164-165 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

4.43 Point for A.P. 165.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NNE and S., in curve.

N. $39^{\circ}50'$ E. on line 165-166 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a trail road.

6.87 Point for A.P. 166.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS T4S R2W NMMWA AP166 / 1994 Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath the stainless steel post. Cor. is located 90 lks. W. of a trail road, bears ENE and WSW. N. 52°05' E. on line 166-167 of the North Maricopa Mountains Wilderness Area Bdy. NW of a trail road. 7.36 Point for A.P. 167. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T4S R2W NMMWA AP167 1994 Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 55 lks. W. of a trail road, bears NNE and SSW. N. 15°57' E. on line 167-168 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. Point for A.P. 168. 5.34 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T4S R2W MMMWA **S2** AP168 1994

CHAINS

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NE and SW.

N. $38^{\circ}15'$ E. on line 168-169 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

5.36 | Point for A.P. 169.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP169 S2

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NNE and SW, in curve.

N. 24°37' E. on line 169-170 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

5.96 Point for A.P. 170, on line bet. secs. 2 and 35, on the N. bdy. of the Tp.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R2W S35 AP170 / S2 T4S 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

CHAINS

Cor. is located in a barbed wire fence, 4 strand, bears E. and W., and 60 lks. W. of a cattle guard crossing a trail road, bears N. and S.

GENERAL DESCRIPTION

The land encompassed in this survey is located approximately 37 1/2 miles southwest of Phoenix, Arizona and approximately 17 1/2 miles north northeast of Gila Bend, Arizona. The general elevation is 1000 feet above sea level. The land varies from mountainous to flat and gently rolling, broken with numerous dry washes and drains. The vegetation consists of paloverde, ironwood, cactus, creosote, and sparse native grasses.

Primary access is by way of United States Highway 80. Secondary access is by way of Maricopa Road and numerous unimproved trail roads.

Description of the North Maricopa Mountains Wilderness Area Bdy. T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

The following is for informational purposes only.

Beginning at Angle Point 1, identical with Angle Point 14, T. 5 S., R. 2 W., on the line bet. secs. 6 and 31, on the S. bdy. of the Tp.;

```
thence N. 54°56' E., 5.15 chs. dist. to Angle Point 2;
thence N. 52°51' E., 4.55 chs. dist. to Angle Point 3;
thence N. 4°52' E., 2.13 chs. dist. to Angle Point 4; thence N. 68°01' E., 2.98 chs. dist. to Angle Point 5;
thence N. 48°06' E., 9.05 chs. dist. to Angle Point 6;
thence N. 57°56' E., 7.62 chs. dist. to Angle Point 7;
thence N. 30°09' E., 2.39 chs. dist. to Angle Point 8;
thence N. 53°50' E., 3.23 chs. dist. to Angle Point 9;
                          3.81 chs. dist. to Angle Point 10, on the
thence N. 73°04' E.,
        line bet. secs. 31 and 32;
thence N. 66°12' E., 2.36 chs. dist. to Angle Point 11;
thence N. 70°18' E., 3.41 chs. dist. to Angle Point 12; thence N. 44°20' E., 3.50 chs. dist. to Angle Point 13;
thence N. 29°47' E., 5.44 chs. dist. to Angle Point 14;
thence N. 8^{\circ}27' W., 3.52 chs. dist. to Angle Point 15; thence N. 3^{\circ}25' E., 4.69 chs. dist. to Angle Point 16;
thence N. 14°32' E., 5.21 chs. dist. to Angle Point 17;
thence N. 39°00' E., 3.16 chs. dist. to Angle Point 18;
thence N. 37°25' E., 2.32 chs. dist. to Angle Point 19;
```

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

,		э.										
CHAINS												
	thence	M	64.301	F	11 42	chs	dist	ŧο	Anale	Point	20•	
	thence											
	thence											
	thence											
	thence											
	thence											
	thence											
	thence											
	thence	N.	48°04′	Ε	3.09	chs.	dist.	to	Anale	Point	28:	
	thence											
	thence	N.	72°23′	Ε	4.35	chs.	dist.	to	Angle	Point	30:	
	thence	N.	73°43′	Ē.	6.21	chs.	dist.	to	Anale	Point	31:	
	thence	N.	36°03′	F	1.41	chs.	dist.	to	Angle	Point	32:	
	thence	N.	66°51′	E	2.60	chs.	dist.	to	Angle	Point	33;	
	thence	N.	28°53′	Ε	3.53	chs.	dist.	to	Angle	Point	34;	
	thence	N.	87°15′	Ε.,	3.09	chs.	dist.	to	Angle	Point	35,	
			entical									
	thence											
	thence	N.	64°46′	Ε.,	4.61	chs.	dist.	to	Angle	Point	37;	;
	thence	N.	48°47′	Ε.,	2.75	chs.	dist.	to	Angle	Point	38;	
	thence	N.	63°57′	Ε.,	5.93	chs.	dist.	to	Ang le	Point	39;	
	thence	N.	50°10′	Ε.,	5.54	chs.	dist.	to	Angle	Point	40;	
	thence											
	thence											
	thence	s.	77°40′	Ε.,	1.34	chs.	dist.	to	Ang le	Point	43;	
	thence	N.	60°44′	Ε.,	1.95	chs.	dist.	to	Angle	Point	44;	
	thence	Ν.	82°29′	Ε.,	2.65	chs.	dist.	to	Angle	Point	45;	
	thence					chs.	dist.	to	Angle	Point	46;	
	thence	Ν.	62°55′	Ε.,	4.68		dist.					
·	thence	N.	48°08′	E.,	5.10	chs.	dist.	to	Angle	Point	48;	
	thence	Ν.	61°34′	Ε.,	4.72	chs.	dist.	to	Angle	Point	49;	
	thence											
	thence	N.	61°15′	Ε.,	6.17	chs.	dist.	to	Angle	Point	51;	
	thence	N.	36°16′	Ε.,	4.29	chs.	dist.	to	Angle	Point	52;	
	thence											
	thence						dist.					
	thence	Ν.	76°27′	Ε.,	8.54	chs.	dist.	to	Angle	Point	55;	
	thence							to	Angle	Point	56, on	the
			ne bet.						_			
	thence						dist.					
	thence	N.	79°12′	Ε.,	7.35	chs.	dist.	to	Angle	Point	58;	
	thence											
	thence			_			dist.					
	thence			-			dist.					
	thence						dist.					
	thence						dist.					
	thence						dist.					
	thence	N.	69"43"	Ł.,	5.86	cns.	aist.	TO	Angle	Point	05; 66.	
	thence											
]	thence	N.	13°16′	W.,	10.54	cns.	aist.	τo	Arig re	LOIUI	0/;	
l .	I											

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

QUANG.	Γ												
CHAINS													
	thence	N.	2°05′	Ε.,	1.74	chs.	dist.	to	Angle	Point	68,	on	the
			ne bet.						_				
	thence	N.	0°25′	W.,	11.42	chs.	dist.	to	Angle	Point	69;		
			0°23′										
			6°44′										
			7°30′										
			1°23′										
	1		4°24′	-							_		
			3°51′										
			11°28′										
			10°35′									٥n	the
	rueuce		ne bet.					CO	Ang ic	TOTAL	,,,	011	Di IC
	thonos		30°03′				-	± o	Anala	Doint	70.		
			14°44′										
			10°03′										
			5°48′										
			0°54′										
			10°22′										
			6°35′										
			5°26′										
			19°03′										
			5°45′										
			8°29′										
	thence		48°40′					to	Angle	Point	89,	on	the
		Ti	ne bet.	secs.	. 10 ar	nd 15	;						
			51°28′										
	thence	s.	38°46′	W.,	3.58	chs.	dist.	to	Angle	Point	91;		
	thence	s.	56°29′	W.,	4.08	chs.	dist.	to	Angle	Point	92;		
	thence	s.	29°45′	₩.,	4.28	chs.	dist.	to	Angle	Point	93;		
	thence	s.	46°39′	₩.,	10.04	chs.	dist.	tο	Angle	Point	94;		
			7°20′										
			61°55′										
	thence	s.	44°15′	W.,	6.55	chs.	dist.	to	Angle	Point	97:		
	thence	S.	33°52′	W	6.30	chs.	dist.	to	Angle	Point	98:		
	thence	S.	58°28′	W	8.81	chs.	dist.	to	Ang le	Point	99:		
			44°24′						Angle				
			55°11′						Angle				
			86°38′						Angle				
	1		48°15′	-					Angle				
	1		82°11′						Angle				
	1		86°33′		9.00				_				
			78°04′										
			48°28′										
	1												
			54°06′						Angle				
			15°46′						Angle				
	1		86°06′						Angle				
			72°03′						Angle				
			87°18′										
			63°38′										
			つにゅんがく	-	1 60	Che	CITCT	ŤΩ	Ang le	2010T	1 4 .		
	thence		52°49′										

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

		<u> </u>	
CHAINS			
	thence N 86°471	E., 2.70 chs. dist.	to Angle Point 116.
	thence S 72°15'	E., 5.03 chs. dist.	to Angle Point 117:
	thence S 86°33'	E., 3.91 chs. dist.	to Angle Point 118:
	thence N 15°48'	E., 2.88 chs. dist.	to Angle Point 119:
	thence S 50°32'	E., 6.11 chs. dist.	to Angle Point 120:
	thence S 87°38'	E., 8.71 chs. dist.	to Angle Point 121:
	thence S 8°15'	E., 1.74 chs. dist.	to Angle Point 122:
	thence N 81°44'	E., 12.85 chs. dist.	to Angle Point 123:
		E., 7.30 chs. dist.	
	thence N. 09 40	E., 4.23 chs. dist.	to Angle Point 125:
	thence 5. 47 33	E., 7.83 chs. dist.	to Angle Point 126:
	thence N. 37 11	E., 12.37 chs. dist.	to Angle Point 127:
	thence N. 47 25	E., 12.3/ Clis. Gist.	to Angle Boint 128:
	thence N. 03 3/	E., 8.54 chs. dist.	to Angle Point 120.
	thence N. 2/12	E., 6.34 chs. dist.	to Angle Point 120.
	thence N. 45°56'	E., 5.90 chs. dist.	to Angle Point 131.
		E., 10.33 chs. dist.	
	thence N. 6'46'	E., 6.20 chs. dist.	to Angle Point 132;
	thence N. 31°02'	E., 2.51 chs. dist.	to Angle Point 135;
	thence N. 47°50'	E., 7.41 chs. dist.	to Angle Point 134;
1	thence N. 43°55'	E., 7.94 chs. dist.	to Angle Point 135;
	thence N. 36°54'	W., 2.80 chs. dist.	to Angle Point 137, on the
			to Angle Point 137, on the
		secs. 10 and 15;	to America Desirate 120.
	thence S. 36°52'	E., 2.05 chs. dist.	to Angle Point 138;
į			to Angle Point 139, on the
		secs. 10 and 15;	
		E., 5.94 chs. dist.	
	thence N. 40°16'	E., 2.93 chs. dist.	to Angle Point 141;
	thence N. 23°43'	E., 4.46 chs. dist.	to Angle Point 142;
1	thence N. 43°54'	E., 5.09 chs. dist.	to Angle Point 143;
İ	thence N. 6°03'	W., 3.25 chs. dist.	to Angle Point 144;
		E., 7.53 chs. dist.	
		E., 6.64 chs. dist.	
			to Angle Point 147, on the
	•	secs. 10 and 11;	
	thence N. 51°19'		to Angle Point 148;
	thence N. 29°02'		to Angle Point 149;
	thence N. 47°55'		to Angle Point 150;
ļ		E., 4.32 chs. dist.	
ŀ		E., 6.36 chs. dist.	
1	thence N. 7°12'	E., 8.11 chs. dist.	to Angle Moint 153;
		E., 8.15 chs. dist.	
1	thence N. 16°03'	<u>-</u>	to Angle Point 155, on the
	i i	secs. 2 and 11;	1 A 3 - Dadad 150
	thence N. 7°35'		to Angle Point 156;
	thence N. 19°35'	E., 8.59 chs. dist.	to Angle Point 15/;
1		E., 2.68 chs. dist.	to Angle Point 158;
[thence N. 1°52′	W., 2.31 chs. dist.	to Angle Point 159;
	thence N. 32°07'	E., 5.14 chs. dist.	to Angle Point 160;
	thence N. 58°04'	E., 2.17 chs. dist.	to Angle Point 161;
	thence N. 7°59'	E., 13.10 chs. dist.	to Angle Point 162;

BOOK 5475

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	thence N. 9°22′ E., 9.90 chs. dist. to Angle Point 163; thence N. 26°20′ E., 10.76 chs. dist. to Angle Point 164; thence N. 10°01′ E., 4.43 chs. dist. to Angle Point 165; thence N. 39°50′ E., 6.87 chs. dist. to Angle Point 166; thence N. 52°05′ E., 7.36 chs. dist. to Angle Point 167; thence N. 15°57′ E., 5.34 chs. dist. to Angle Point 168; thence N. 38°15′ E., 5.36 chs. dist. to Angle Point 169; thence N. 24°37′ E., 5.96 chs. dist. to Angle Point 170, on the line bet. secs. 2 and 35, on the N. bdy. of the Tp.; thence N. 89°52′ W., 6.32 chs. dist. to Angle Point 1, T. 3 S., R. 2 W., on the line bet. secs. 2 and 35, on the N. bdy. of the Tp.

BOOK 5475

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY					
Dominica Smith	Land Surveyor					
Steven R. Stokke	Land Surveyor					
Cheryl A. Baier	Surveying Technician					
Kevin C. Berridge	n #					
Gordon R. Bubel	11 H					
Ted E. Cazier	n H					
Geoffrey A. Graham	n n					
Jeff A. Hill	B II					
Lawrence T. Kempe	11					
Daniel R. Muth	11					
Wallace R. Ott, Jr.	11 11					
Timothy F. Patro	II II					
Mark R. Searles	п					

POOK 5475 CERTIFICATE OF SURVEY

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 21st day of October, 1993, I have dependently resurveyed a portion of the north boundary and a portion of the subdivisional lines, and conducted a metes—and—bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 4 South, Range 2 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

NOV. 14, 1996 (Date)	Olian J. Stochless (Cadastral Surveyor)
CER	TIFICATE OF APPROVAL
	BUREAU OF LAND MANAGEMENT Arizona State Office Phoenix, Arizona
boundary and a portion of the subd the North Maricopa Mountains Wilde West, Gila and Salt River Meridian	dependent resurvey of a portion of the north divisional lines, and a metes-and-bounds survey of erness Area Boundary, in Township 4 South, Range 2 n, Arizona, executed by Olian T. Shockley, Cadastral examined and found correct, are hereby approved.
1/8/97	(Acting Chief Cadastral Surveyor of Arizona)
(Date)	IFICATE OF TRANSCRIPT
I CERTIFY that the foregoing trans surveys in T. 4 S., R. 2 W., Gila the original field notes.	script of the field notes of the above-described and Salt River Meridian, Arizona, is a true copy of
(Date)	(Acting Chief Cadastral Surveyor of Arizona)